

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

FIGURE 1



**Positive = Spiked Plasma: mouse plasma spiked with protein lysate from *in vitro* gemcitabine treated PANC-1 cells**

**Negative = void volume proteins, mainly albumin, from P30**

FIGURE 2



FIGURE 3

# Expression of Targeted p53 and Apoptotic Response of Human Pancreatic Cancer Xenografts




Figure 4




FIGURE 5




FIGURE 6




FIGURE 7





FIGURE 8




FIGURE 9




FIGURE 10

## Western Blot Analysis of Proteins in Apoptotic Pathways in PANC-1 Pancreatic Cancer Cells 16 Hours





FIGURE 11



# Tumor Volume (mm<sup>3</sup>)

**PANC 1 Xenograft Tumors I.V. Treated with the Combination of  
TfRscFv-LipA-AS HER-2 Plus Gemzar**




Figure 12

FIGURE 13

# Cleaved Caspase 3 17 kDa Fragment From Plasma Of Mice Treated With TfRscFv-LipD-RB94





FIGURE 14



**Control = Serum from non-cancer patient**